

References of the GSMaP product

- K. Okamoto, T. Iguchi, N. Takahashi, K. Iwanami and T. Ushio, 2005: The global satellite mapping of precipitation (GSMaP) project, 25th IGARSS Proceedings, pp. 3414-3416.
- T. Kubota, S. Shige, H. Hashizume, K. Aonashi, N. Takahashi, S. Seto, M. Hirose, Y. N. Takayabu, K. Nakagawa, K. Iwanami, T. Ushio, M. Kachi, and K. Okamoto, 2007: Global Precipitation Map using Satelliteborne Microwave Radiometers by the GSMaP Project : Production and Validation, *IEEE Trans. Geosci. Remote Sens.*, Vol. 45, No. 7, pp.2259-2275.
- K. Aonashi, J. Awaka, M. Hirose, T. Kozu, T. Kubota, G. Liu, S. Shige, S., Kida, S. Seto, N. Takahashi, and Y. N. Takayabu, 2009: GSMaP passive, microwave precipitation retrieval algorithm: Algorithm description and validation. *J. Meteor. Soc. Japan*, 87A, 119-136
- T. Ushio, T. Kubota, S. Shige, K. Okamoto, K. Aonashi, T. Inoue, N., Takahashi, T. Iguchi, M. Kachi, R. Oki, T. Morimoto, and Z. Kawasaki, 2009: A Kalman filter approach to the Global Satellite Mapping of Precipitation (GSMaP) from combined passive microwave and infrared radiometric data. *J. Meteor. Soc. Japan*, 87A, 137-151.
- S. Shige, T. Yamamoto, T. Tsukiyama, S. Kida, H. Ashiwake, T. Kubota, S. Seto, K. Aonashi and K. Okamoto, 2009: The GSMaP precipitation retrieval algorithm for microwave sounders. Part I: Over-ocean algorithm. *IEEE Trans. Geosci. Remote Sens*, 47, 3084-3097.
- M. Kachi, T. Kubota, T. Ushio, S. Shige, S. Kida, K. Aonashi, and K. Okamoto, 2011: Development and utilization of "JAXA Global Rainfall Watch" system. *IEEJ Transactions on Fundamentals and Materials*, 131, 729-737. (In Japanese)
- T. Ushio, and M. Kachi, 2009: Kalman filtering application for the Global Satellite Mapping of Precipitation (GSMaP). Chapter for "Satellite Rainfall Applications for Surface Hydrology" (Edited by Mekonnen Gebremichael and Faisal Hossain), Springer, ISBN978-9048129140, 105-123.
- S. Seto, N. Takahashi, T. Iguchi, 2005: Rain/no-rain classification methods for microwave radiometer observations over land using statistical information for brightness temperatures under no-rain conditions. *J. Appl. Meteor.*, 44, 8, 1243-1259.
- Y. N. Takayabu, 2006: Rain-yield per flash calculated from TRMM PR and LIS data and its relationship to the contribution of tall convective rain, *Geophys. Res. Lett.*, 33, L18705, doi:10.1029/2006GL027531.
- T. Ushio, D. Katagami, K. Okamoto, and T. Inoue, 2007: On the use of split window data in deriving the cloud motion vector for filling the gap of passive microwave rainfall estimation,

SOLA, Vol. 3, 001-004, doi:10.2151/sola, February 2007-001.

- N. Takahashi, and J. Awaka, 2007: Introduction of a melting layer model to a rain retrieval algorithm for microwave radiometers. Proc. 25th IGARSS, 3404–3409.
- S. Seto, T. Kubota, N. Takahashi, T. Iguchi, T. Oki, 2008: Advanced rain/no-rain classification methods for microwave radiometer observations over land, J. Appl. Meteor. Clim., 47, 11, 3016-3029.
- T. Kozu, T. Iguchi, T. Kubota, N. Yoshida, S. Seto, J. Kwiatkowski, and Y. N. Takayabu, 2009: Feasibility of Raindrop Size Distribution Parameter Estimation with TRMM Precipitation Radar. J. Meteor. Soc. Japan, 87A, 53-66.
- T. Kubota, S. Shige, K. Aonashi, K. Okamoto, 2009: Development of nonuniform beamfilling correction method in rainfall retrievals for passive microwave radiometers over ocean using TRMM observations. J. Meteor. Soc. Japan, 87A, 153-164.
- S. Kida, S. Shige, T. Kubota, K. Aonashi, and K. Okamoto, 2009: Improvement of rain/no-rain classification methods for microwave radiometer observations over ocean using the 37-GHz emission signature. J. Meteor. Soc. Japan, 87A, 165-181.
- S. Shige, T. Watanabe, H. Sasaki, T. Kubota, S. Kida, and K. Okamoto, 2008: Validation of western and eastern Pacific rainfall estimates from the TRMM PR using a radiative transfer model, J. Geophys. Res., doi:10.1029/2007JD009002.
- S. Seto, T. Kubota, T. Iguchi, N. Takahashi, T. Oki, 2009: An evaluation of over-land rain rate estimates by the GSMaP and GPROF algorithms; The role of lower-frequency channels. J. Meteor. Soc. Japan, 87A, 183-202.
- T. Kubota, T. Ushio, S. Shige, S. Kida, M. Kachi, and K. Okamoto, 2009: Verification of high resolution satellite-based rainfall estimates around Japan using gauge-calibrated ground radar dataset. J. Meteor. Soc. Japan, 87A, 203-222.
- S. Kida, T. Kubota, M. Kachi, S. Shige, and R. Oki, 2012: Development of precipitation retrieval algorithm over land for a satellite-borne microwave sounder. Proc. of IGARSS 2012, 342-345.
- A. Taniguchi, S. Shige, M. K. Yamamoto, T. Mega, S. Kida, T. Kubota, M. Kachi, T. Ushio, and K. Aonashi, 2013: Improvement of high-resolution satellite rainfall product for Typhoon Morakot (2009) over Taiwan. J. Hydrometeor., 14, 1859-1871.
- T. Kubota, S. Shige, M. Kachi, and K. Aonashi. 2011: Development of SSMIS rain retrieval algorithm in the GSMaP project. Proc 28th ISTS, 2011-n-46.
- T. Ushio, T. Tashima, T. Kubota, and M. Kachi, 2013: Gauge Adjusted Global Satellite Mapping of Precipitation (GSMaP_Gauge), Proc. 29th ISTS, 2013-n-48.

S. Shige, M.K. Yamamoto, and A. Taniguchi, 2014. Improvement of TMI rain retrieval over the Indian Subcontinent. *Remote Sensing of the Terrestrial Water Cycle*, 27-42.

M.K. Yamamoto, and S. Shige, 2014: Implementation of an orographic/nonorographic rainfall classification scheme in the GSMaP algorithm for microwave radiometers. *Atmos. Res.* 163, 36-47.